

# **PATENTSCOPE** The User's Guide



WIPO world intellectual property organization

https://patentscope.wipo.int

#### 1. INTRODUCTION What is PATENTSCOPE search system? About this guide What is the data coverage?

#### 3. SEARCH INTERFACE

Different languages and a mobile application How to search?

- Simple
- Advanced
- Field combination
- CLIR

How to browse?

- By week
- By sequence listing
- IPC Green Inventory
- Portal to patent registers

#### 14. SEARCH RESULTS

Display of the search results Results analysis Reading the result page

#### 18. MENUS

Translate Options News Login Help

#### 22. ANNEX

Search syntax Field codes

# WHAT IS THE PATENTSCOPE SEARCH SYSTEM?

You're a patent attorney and need to find a specific patent document...

You're an inventor and want to see whether your latest invention has already been patented...

You're a researcher and are interested in seeing which technologies have been developed in your field...

You're an entrepreneur and want to find out who your competitors are and what they're up to  $\ldots$ 

The PATENTSCOPE search system just might be the right tool for you!

The PATENTSCOPE search system is the FREE OF CHARGE patent search system provided by the World Intellectual Property Organization (WIPO) that allows you to access millions of patent documents.

This User's Guide will help you get to know the PATENTSCOPE search system and learn how to get the most out of its powerful search and analysis features.

# **ABOUT THIS GUIDE**

The PATENTSCOPE search system is constantly improving to provide new features and new content to its users. In fact, from the time the writing of this guide started to the time it was completed, a few things have changed on the interface. To keep up to date on the latest developments and changes to the PATENTSCOPE search system, take a look at: *https://patentscope.wipo.int/search/en/help/news.jsf.* 

To help readability, a few conventions were used in this book: Web sites urls and email addresses are in *blue* and to refer to something that you see on the interface, PURPLE is used. Tips are indicated with  $\sqrt[\infty]{}$ .

Note: Screenshots in this guide reflect what the interface was like in summer 2015; a few significant changes took place during the writing of this guide.

# WHAT IS THE DATA COVERAGE?

PATENTSCOPE gives you access to millions of patent documents, namely:

- International Patent Applications filed under the PCT (Patent Cooperation Treaty);
- Regional and national patent collections from numerous participating countries and organizations, including:
- ARIPO (African Regional Intellectual Property Organization)
- Argentina
- Bahrain
- Brazil
- Canada
- Chile
- China
- Colombia
- Costa Rica
- Cuba
- Dominican Republic
- Ecuador
- El Salvador
- EPO (European Patent Office)
- Egypt
- Estonia
- EAPO (Eurasian Patent Office)
- Germany
- Germany (DDR data)
- Guatemala
- Honduras

- Japan
- Jordan
- Kenya
- LATIPAT
- Mexico
- Morocco
- Nicaragua
- Panama
- Peru
- Portugal
- Republic of KoreaRussian Federation
- Russian Federation
- Russian Federation (USSR data)
- Singapore
- South Africa
- Spain
- United Arab Emirates
- Uruguay
- USA
- Vietnam

Please check our website, as w	ve add	new	collect	ions on	a regula	ar basis.	The
collections available are listed	in the	ADVA	ANCED	SEARC	I page,	click on	SPECIFY
next to OFFICE: ALL.							

		0
anguage:	English Stem: Office: Al Specify	
	$\sim$	
PCT		
Africa		
ARIPO	Egypt Kenya Morocco South Africa	
Americas		
United Sta	ates of America Canada	
LATIPAT		
Argentin	na Brazil Chile Colombia Costa Rica Cuba Dominican Rep.	
Ecuado	r El Salvador Guatemala Honduras Mexico Nicaragua Panama	
Peru Ania Furan	Loruguay	
Asia-Europ	e China Europian Datant Office European Datant Office	
Cormany		
	Russian Federation Russian Federation/USSR data Singapore Spain	
Portugal		
Portugal	of Korea Wiet Nam	
Portugal	of Korea Viet Nam	

For the most up-to-date information on data coverage, please go to the HELP menu, DATA COVERAGE at: *https://patentscope.wipo.int/search/en/help/data\_coverage.jsf*.

Israel

### DIFFERENT LANGUAGES AND A MOBILE APPLICATION

WIPO	3	PATENTSC	OPE							
		Search Internatio	onal and Natio	onal P	atent Colle	ection	IS			
WORLD INTEL	LECTUAL	PROPERTY ORG	ANIZATION	l.						
earch B	rowse	Translate	Options		News		Login	Help		
ne > IP Services	PATENTS	COPE								
nple Search sing PATENTSCO	PE you ca	n search 46 million	patent docum	ients i	including 2	2.7 mi	llion publ	shed intern	ational patent :	applications (PCT
nple Search sing PATENTSCO etailed coverage	PE you ca information	n search 46 million 1 can be found here	patent docum (->)	ients i	including 2	2.7 mi	llion publ	shed intern	ational patent :	applications (PCT
mple Search sing PATENTSCC etailed coverage Front Page	DPE you ca information	n search 46 million n can be found here (EN_TI:("car" OR "w	patent docum (->) ragon") OR El	ients i N_AB:	including 2 ("car" OR 1	2.7 mi Wago	llion publ	shed intern DA_TI:("go (	ational patent :	applications (PCT
mple Search sing PATENTSCC etailed coverage Front Page	DPE you ca information	n search 46 million n can be found here (EN_TI:("car" OR "w	patent docum (↔) ragon") OR Ef	ients i N_AB:	including 2 ("car" OR 1	2.7 mi 'wago	llion publ on")) OR (	shed intern DA_TI:("go (	ational patent :	applications (PCT
mple Search sing PATENTSCC etailed coverage Front Page	DPE you ca information	n search 46 million n can be found here (EN_TI:("car" OR "w	patent docum (↔) ragon") OR Ef	ients i N_AB:	including 2 ("car" OR 1	2.7 mi Wago	llion publ on")) OR (	shed intern DA_TI:("go (	ational patent a	applications (PCT

The search interface is available in 9 languages.

A mobile interface was also created for users who would like to use PATENTSCOPE with their mobile phones. It is called PATENTSCOPE Mobile and it is a simple and fast version of the PATENTSCOPE interface allowing smartphone users to search and browse millions of patent documents. For direct access, please go to: https://patentscope.wipo.int/search/mobile/index.jsf.

### **HOW TO SEARCH?**

There are 4 ways to conduct a search using PATENTSCOPE Search service. Those options can be selected from the SEARCH menu as indicated below.

### **Simple Search**

The SIMPLE SEARCH interface is the default interface.

WIPO	PATEN	TSCOPE	Mobile	Deutsch   Español	Français   日本記	ă   관국이   Português   Русский   中文
	Search Inte	ernational and Natio	nal Patent Colle	tions		
WORLD INTELLECTU	JAL PROPERTY	ORGANIZATION				
Browse	Translate	e Options	News	Login	Help	
Simple Advanced Search Field Combination Cross Lingual Expan	nsion	ion patent docume	ents including 2.	7 million publis	hed internation	al patent applications (PCT).
Front Page	(EN_TI:("car")	OR "wagon") OR EN	I_AB:("car" OR "v	vagon")) OR (D/	A_TI:("go 🕝	Office: All Search
PCT Publication 25/2 Learn how to use PATE	2015 is now availal	ble.				

You can use the SIMPLE SEARCH interface to search for:

- A specific number: a reference to patent document in the press, in a trial, etc.
- An individual, an inventor, an applicant, etc., for example Steve Jobs
- A company whether it is for personal interest, for merging and/or acquisition purposes or to keep track of the work of a competitor
- An IPC code
- A specific date
- A subject matter expressed with simple keywords, a concept that is very specific in order to have a limited number of results

Use the BROWSE BY WEEK option to see all international applications published during a given week).

# SEARCH INTERFACE

There are 8 predefined search fields available, each defining different search criteria:

- 1. FRONT PAGE: the search criteria you entered in this field will be searched in the front page of the document.
- 2. ANY FIELD: the search criteria you entered in this field will be searched in any fields of the document.
- 3. FULL-TEXT: enter your query in this field if you are interested in full-text.
- 4. ENGLISH TEXT: the search criteria you entered in this field will be searched in texts in English.
- 5. ID/NUMBER: enter publication number, filing number, etc.
- 6. IPC: enter any International Patent Classification code.
- 7. NAMES: enter your search in this field to look for the name of an inventor, an applicant, a company, etc.
- 8. DATES: enter any date in this field such as filing date, publication date, etc.

Click on the question mark to be provided with search examples. If you click on those examples, they will automatically appear in the search box. They give you good examples of the kind of keywords that can be used for the SIMPLE SEARCH interface.

To use the SIMPLE SEARCH interface:

- 1. Select one of the 8 available search fields from the drop-down menu;
- 2. If you've selected the full text field, also select the correct language;
- 3. Enter your search terms into the selected field;
- 4. Select the collection/s you are interested in the OPTIONS menu (Office tab); and
- 5. Click the SEARCH button

The spell check as you type is on by default. To turn it off, just right-click anywhere in the search box.

#### **Advanced Search**

The ADVANCED SEARCH is the PATENTSCOPE expert search interface that can be used to create complex search queries using an unlimited number of terms.

Advanced Search		
Search For:		0
Language:	English ■ Stem: Office: All Specify →	Peset
Tooltip Help	Search P	

The PATENTSCOPE search service offers a wide range of operators that can be used to combine search terms, including Boolean operators, proximity operators, and range operators. Using these operators can allow you to customize your results. It also allows you to use wildcard operators to search for variants of terms based on a common stem, or root.

For more information about operators available in the PATENTSCOPE search service, take a look at: *https://patentscope.wipo.int/search/en/help/querySyntaxHelp.jsf* 

The ADVANCED SEARCH interface uses field codes to define the fields in which search terms must be found.

More information about field codes can be found at: https://patentscope.wipo.int/search/en/help/fieldsHelp.jsf

Let's look at a few ways the ADVANCED SEARCH interface can be used!

1. Searching for inventions by Steve Jobs published during the period from 2007 to 2009 comprising the keyword "touch" in the description:

IN:(Jobs) AND DP:[2007 TO 2009] AND EN\_DE:(touch)

This search query uses field codes, a Boolean operator, and a range operator. The field codes are IN for inventor, DP for publication date, and EN\_DE for English description.

The Boolean operator AND is used to ensure that all search terms are included in the search results (i.e. that the results are for Jobs as inventor, within the given publication date range, and using the word "touch").

The range operator TO is used to define a range of publication date values.

2. Searching for inventions related to cutting tree trunks:

#### cutting AND trunk

This search query will retrieve over 10,000 results, many of which are not related to cutting tree trunks.

#### cutting NEAR5 trunk

This search query retrieves a few hundred results; most of which are related to the wood industry. It uses a proximity operator NEAR to ensure that the two terms are close to each other in your results and specifies that they must be within 5 words of each other by defining the value as NEAR5. Similarly, you could specify that the terms must be within any other number of words of each other, e.g. NEAR4, NEAR100.

3. Searching for surgical instruments that are referred to after the paragraph "Field of the invention":

"Field of the invention" BEFORE100 "surgical instruments"

The operator BEFORE allows users to define the part of the description the search should be carried out: only documents containing surgical instruments positioned 100 words after "Field of the invention" will be retrieved.

To use the ADVANCED SEARCH interface:

- Enter keywords/Boolean expression/field codes etc. Please read the Annex section of this guide or go to the HELP menu on the search interface (select HOW TO SEARCH and then QUERY SYNTAX) for a complete list of Boolean expressions and FIELDS DEFINITION;
- Select the language in which you would like to perform the search. 13 languages are available;
- 3. Select the collection/s you are interested in using the SPECIFY button.

**Stem** In this box if you would like to restrict your search to the exact word/sentence typed in the box. Stemming uses the root form of a word; if you type "cell", results will include "cell", "cells", etc. The stemmer is related to the language of the search, in this example, it is therefore the English stemmer.

Tooltip Help 🔽

By ticking the TOOLTIP HELP you will be shown examples when moving your mouse over the interface.



Clicking on this QUESTION MARK will automatically display some search examples.

#### **Field Combination**

The FIELD COMBINATION interface can be used to structure a more targeted search using specific search criteria in any search fields (eg. title, abstract, description, etc.) can be performed using this interface.

	Front Page 💌	=		2
AND 👻	WIPO Publication Number	- =		 2
AND 👻	Application Number	- =		 2
AND 👻	Publication Date	- =		 2
AND 👻	English Title	- =		 2
AND 👻	English Abstract	- =		 2
AND 👻	Applicant Name	- =		 2
AND 👻	International Class	- =		 2
AND 👻	Inventor Name	- =		 2
AND 👻	Office Code	- =		 2
AND 👻	English Description	- =		 2
AND 👻	English Claims	- =		 2
ND	Licensing availability	=		
ND	Inventor Name	<ul> <li>Is Em</li> </ul>	pty: 🔍 N/A 🔍 Yes 🔍 No	
	nglish - Stem: Office:			

The FIELD COMBINATION SEARCH, a list of preset search fields that can be combined according to the users' needs, should be used to search different concepts such as:

- a date and an inventor
- an inventor and a company,
- etc.

Basically any combination of the preset search fields available in the FIELD COMBINATION SEARCH is possible.

Here are a few examples:

 Searching for the inventions filed by Steve Jobs in 2007. In the drop-down box, select the field APPLICANT NAME and enter Steve Jobs; select AND and the field PUBLICATION DATE and enter 2007

eld Combination			2
Front Page -	-		0
AND Applicant Name	- =	Steve Jobs	0
AND Publication Date	- =	2007	2
AND  Main Applicant Name	-		0
AND - English Title			

 Searching for applications containing microchip with licensing availability. In the drop-down box, select ENGLISH DESCRIPTION and enter **microchip**, then tick the LICENSING AVAILABILITY box (one before last in the FIELD COMBINATION interface).

AND 👻	Inventor Name	-	=		2
AND 👻	Office Code	-	=		2
AND 👻	English Description	-	-	mierschip	2
	English Claims	-	=		2
AND	Licensing availability		=		
AND	Inventor Name	-	to Empty.	V/A Ves No	

3. Searching for missing information using the empty field option: for example you could search applications without any IPC code. On the last line, select the IPC in the drop-down box and tick YES next to EMPTY.



To use the Field Combination interface:

- 1. Select the field/s of interest using the arrow of the drop-down menu
- 2. Use the AND/OR boxes to add or include fields
- 3. If you would like to add more fields or remove one or more fields, please click On: (+) Add another search field (-) Reset search fields
- 4. Select the language in which you would like to perform the search: 13 languages are available
- 5. Select the collection/s you are interested in using the SPECIFY button.

# CLIR

CLIR stands for Cross Lingual Information Retrieval and will allow you to search a term or a phrase and its variants in:

- Chinese
- Dutch
- English
- French
- German
- Italian

- Japanese
- Korean
- Portuguese
- Russian
- Spanish and
- Swedish

Just enter one or more terms in one of those languages in the search box and the system will suggest variants and translate the term(s), thus allowing you to search patent documents disclosed in all of these languages.

liene	r
vessel	
Query Language: English	
Expansion Mode: Supervised 💌	
Durate 0 4 Duran	
Precision	

#### Step 1: Enter your query

- 1. Enter the search query in the search box
- 2. Select the language of your query
- 3. Select the EXPANSION MODE:

a. SUPERVISED will allow you to select the technical domain associated with your query and the variants relevant to your query.

b. AUTOMATIC will generate the results immediately without any further user input.

4. Decide on the balance between PRECISION and RECALL for your query. If you favor precision, an expanded query will be built in order to retrieve only the most relevant results at the risk of missing some results. If you favor recall, an expanded query will be built in order to retrieve more results at the possible expense of accuracy.

<u>Precision</u> is defined as the <u>proportion of relevant documents</u> in the set of all documents returned by a search query. Precision is a measure of exactness <u>Recall</u> is defined as the <u>number of relevant documents</u> retrieved as fraction of all relevant documents. Recall is a measure of completeness.

5. Click on NEXT (if you're using the supervised expansion mode) or SUBMIT QUERY (if you're using the automatic expansion mode).

Step 2: Select the technical domain/s (Supervised mode)

The PATENTSCOPE search system will propose a list of domains to which the keywords you entered in the first step could belong.

input search terms		
Query Domains [HOME,MANU,MEDI,PACK]		
Admin, Business, Management & Socs Sci Aeronautics & Aerospace Engineering Agriculture, Friehness & Forstry Audio, Audionizauti, Image & Yideo Tech Automotive & Road Vehicle Engineering Chemical & Materials Technology Chemical & Materials Technology Echicical Engineering & Building Construction Computer Sci, Telescom & Broadcasting Electrical Engineering & Building American Environmental & Safety Engineering Electrical Engineering Biology & Face I Centrol Construction Computer Sci, Telescom & Broadcasting Electrical Engineering Biology & Face I Centrol Construction Companies, Language, Media & Info Sci Marine Engineering Methanus, Cla & Gas Estraction & Minerals Nano Technology Optical Engineering Paceision Mechanics, Jeweiny & Horology Pranting & Boppa Sports, Leisure, Tourism & Hospitality Ind Spandars, Units, Metrology & Testing Tasting & Coloning Industries Transportation	Add P	Home Contents & Household Maintenance Manufacturing & Materials Handling Tech Medical Technology Packaging & Distribution of Goods
	Next	

The system will automatically propose domains associated with your query in the right column. If one or more technical domains are not relevant just select it/them and click on the REMOVE button. To add more domains, select the domains in the left column and click on ADD. Click on NEXT. Up to 5 domains can be added.

Step 3: Select the variants relevant to your query (Supervised mode)

The system will suggest variants for the items of your initial query. Select the checkboxes next to the variants relevant to your query. If you know a variant that is not in the proposed list, click on ADD VARIANT +, enter the variant in the box and select the relevant domain. Click on TRANSLATE SELECTED TERMS or START OVER if necessary.

You can define the number of variant proposals you are interested in by moving the button to LESS for an inferior number of variants and to MORE for a higher number.

Please note that is necessary to check if each displayed variant applies or you run the risk of getting incomplete results.

input search terms						
Term 1: disposable						
Variants Doma	Variants Domains [HOME,MANU,MEDI,PACK]					
» Keep term untran	slated when expandir	ig query in other lar	nguages 🗖			
»Less	· ·	More				
🗖 discard 💌	🔲 discharge pulley		🔲 disposing 🗨	🗖 domestic	I	
🗖 expendable	🗖 flushing	🗖 grout	🗖 high pressure	🗖 nonreusable		
nonwoven	🗖 non returnable	🔲 one time	🗖 one way	🗖 reuse		
🗖 scrapped 💌	🔲 single shot	🔲 single use	throwaway	throw away		
Add Variant	T waste					
Translate Selected 1	erms			Start Over		

# SEARCH INTERFACE

English 🗷 German 🗶 Spanish 🗶 Frer Chinese 🗶 IPC 🗷	h 🗶 🛛 Japanese 🗶 🛛 Korean 🗶 🛛 Portuguese 🛛 🕅 Russian 🗷
"disposable" OR "single use"	
» Field(s) you want to search:     Abstract       » Acceptable distance between matched words:     Sentence       » Stemming I     submit Query	T Start Over

#### Step 4: Define the fields in which the search should be performed

- 1. Check the translated terms.
- 2. Define the fields where the search will be performed.
- 3. Define the distance between the words.
- 4. Untick the "STEMMING" option if you would like to have results including only the exact term of your search. Stemming uses the root form of the word, for example if you search "swim", the results will include swimming, swimmers etc.
- 5. Click on SUBMIT QUERY. Results will be displayed from the search service and results will be displayed.

#### **HOW TO BROWSE?**

#### Browse by week (PCT)

WIPO publishes new PCT applications every week on Thursday. Selecting BROWSE BY WEEK gives access to a list of PCT applications by publication week.

23/2013(2013-06-06)	Statistics			
<u>««</u> <b>1</b> 2 3 4 5 6 7 8 9 10	) 11 12 13 1	4 15 16 17	18 19	20 » »»
Title	Kind	Appl.No	IPC	Applicant
1. (WO/2013/080367)RAILWAY VEHICLE	Initial Publication with ISR[A1]	JP2011/077892	B61D 17/06	NIPPON SHARYO, LTD.
2. (WO/2013/082538)SYSTEMS AND METHODS FOR AUTHENTICATING OBJECTS USING IR	Initial Publication with ISR[A1]	US2012/067459	G06K 9/58	WABA FUN, LLC
3. (WO/2013/045571)USE OF PLASMA TREATED SILICONE OIL AS A COATING IN A MEDICAL INJECTION DEVICE	Later publication of international search report[A3]	EP2012/069119	A61M 5/31	BECTON DICKINSON FRANCE
4. (WO/2013/081491)METHOD AND DEVICE FOR PURIFYING FLUID MEDIA BY REMOVAL OF CONTAMINATING MULTICOMPONENT INGREDIENTS	Initial Publication with ISR[A1]	RU2012/000553	B01D 45/12	ABAYEV, Alexandr Dzakhotovich
5. (WO/2013/080149)SYSTEMS AND METHOD FOR GRAPH-BASED DISTRIBUTED PARAMETER COORDINATION IN A COMMUNICATION NETWORK	Initial Publication with ISR[A1]	IB2012/056810	H04W 24/02	TELEFONAKTIEBOLAGET L M ERICSSON (PUBL)
6. (WO/2013/080169)METHOD FOR IDENTIFYING MICROORGANISMS VIA MASS SPECTROMETRY AND SCORE NORMALISATION	Initial Publication with ISR[A1]	IB2012/056859	G06K 9/00	BIOMÉRIEUX, INC.
7. (WO/2013/079931)METROLOGICAL APPARATUS AND A METHOD OF DETERMINING A SURFACE CHARACTERISTIC OR CHARACTERISTICS	Initial Publication with ISR[A1]	GB2012/052930	G01B 9/02	TAYLOR HOBSON LIMITED
8. (WO/2013/081214)SYSTEM, APPARATUS AND METHOD FOR PROVIDING MULTIMEDIA ANIMATION MESSAGE BASED ON 3D SMART CHARACTER USED IN MOBILE DEVICE	Initial Publication with ISR[A1]	KR2011/009240	G06Q 50/00	OCTO TREE PTE., LTD.

23/2013(2013-06-06) 💌

Use the arrow of the drop-down menu to select a PCT publication week.

The result list can be downloaded using the Excel download button (green circle in figure above)

#### **IPC statistics**

IPC statistics are available in this BROWSE BY WEEK menu. The idea is to provide a picture of the global trends in PCT applications. For example, it can show who the main and/or new main actors are etc. It takes into account applications that have IPC codes. Out of 3000 published applications, about 100 do not have any IPC code.

To access those statistics click on the IPC statistics button (red circle in the figure page 10).



The first tab is called "Most active" which shows the most active IPCs in a specific publication. First select the publication you are interested in in the drop-down menu. The question mark will provide you with the definition of the code when you hover the mouse over it. Here "chart" was selected in the action column. If you select query, you will be redirected to the result list where you can see the query that triggered the graph, the top 10 applicants amongst other values in the Analysis box.

The second tab "Most active last 5 gazettes" shows the most active IPC in the last 5 publications. Options "chart" and "query" are available.

The "Most advanced" tab shows uptrends of IPCs. Options "chart" and "query" are available.

And the last tab "Breakouts" shows a major change in IPCs. Options "chart" and "query" are available.

### By sequence listing

Selecting BROWSE: SEQUENCE LISTING gives access to the lists of nucleotide and or amino acid sequence listings contained in published PCT applications. Use the 2 drop-down menus shown below to select the year and publication week.

23/2013(2013	-06-06) 💌		Publication Week: August 05, 2010
_	_		
Search S	Sequence	Listings	6
Published Nuc	leotide and/or A	mino Acid S	equence Listings Contained in Published PCT Applications (WinZIP 8.0)
This data is al	so available for b	ulk downloa	d via anonymous ftp from ftp://ftp.wipo.int/pub/published_pct_sequences/publication/.
Year: 2013			Publication Week: June 06, 2013
Publication Da	ite:		
WO Number	Compressed	Download	Applicant
WO13/078511	SIZE	SI 1 zin	CARVAN INSTITUTE OF MEDICAL RESEARCH
WO13/078767	7 113 KBe	SI 1 zin	CHENGDU KANCHONG BIOLOGICAL SCIENCE & TECHNOLOGY CO. LTD
WO13/078786	3 KBs	SI 1 zin	ZHE HANG LINIVERSITY
WO13/079015	55 KBs	SI 1 zip	NOVOZYMES INC
WO13/079174	411 KBs	SI 1 zip	MERCK PATENT GMBH
WO13/079188	3712 KBs	SL1.zip	IPSOGEN
WO13/079207	7 580 KBs	SL1.zip	KENTA BIOTECH AG
WO13/079307	70 KBs	SL1.zip	ALBERT-LUDWIGS-UNIVERSITÄT FREIBURG
WO13/079309	3 KBs	SL1.zip	FUNDACIÓ PRIVADA INSTITUCIÓ CATALANA DE RECERCA I ESTUDIS AVANÇATS
WO13/079456	1 KBs	SL1.zip	INSTITUT CURIE
WO13/079531	12 KBs	SL1.zip	NOVOZYMES A/S
WO13/079533	3 2 KBs	SL1.zip	NOVOZYMES A/S
WO13/079670	1 KBs	SL1.zip	IMBA - INSTITUT FÜR MOLEKULARE BIOTECHNOLOGIE GMBH
WO13/079701	1 1 KBs	SL1.zip	UNIVERSITY OF BREMEN
WO13/079721	15 KBs	SL1.zip	BERGEN TEKNOLOGIOVERFØRING AS
WO13/079796	6 8050 KBs	SL1.zip	HELSINGIN YLIOPISTO
WO13/079828	2 KBs	SL1.zip	CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE - CNRS -
WO13/079924	4 2 KBs	SL1.zip	THE UNIVERSITY OF SHEFFIELD
WO13/079953	3 4 KBs	SL1.zip	KYMAB LIMITED
WO13/079970	12 KBs	SL1.zip	UNIVERSITY OF SHEFFIELD

## **IPC Green Inventory**

The IPC GREEN INVENTORY attempts to collect Environmentally Sound Technologies (ESTs as listed by the United Nations Framework Convention on Climate Change (UNFCCC)) in one place as they are currently scattered widely across the IPC in numerous technical fields.

ESTs are presented in a hierarchical structure (A). For each technology, the links in the IPC column direct the user to the corresponding place in the scheme. The links in the PATENTSCOPE column (B) allow the user to automatically search and display all international patent applications available through PATENTSCOPE which are classified in the relevant IPC place.

A		В
TOPIC	IPC	PATENTSCOPE
□ ALTERNATIVE ENERGY PRODUCTION		
🖲 , Bio-fuels		
. Integrated gasification combined cycle (IGCC)	C10L 3/00 F02C 3/28	C10L.3/00 F02C.3/28
3) . Fuel cells	H01M 4/86-4/98, 8/00-8/24, 12/00-12/08	H01M 4/86-4/98, 8/00-8/24, 12/00-12/08
. Pyrolysis or gasification of biomass	C108 53:00 C102	C108 53:00 C10J
<ol> <li>Harnessing energy from manmade waste</li> </ol>		
· Hydro energy		
. Ocean thermal energy conversion (OTEC)	E03G 7/05	F03G 7/05
€. Wind energy	F03D	F03D
R		

# In the Portal to Patent Registers

The portal aims to facilitate the verification of legal status of patents and related SPCs by compiling relevant information of national registers of various jurisdictions, e.g. availability of online access to a national or regional register.



How to use the map:

• The map shows, by default, the availability of online national register access (the first column of the table). Click on a column heading of the table to see the geographical distribution of 'Yes, No, NA' of any other column (default is availability of online register access):

Green: Yes

Red: No

Gray: Not applicable (N/A)

White: Jurisdiction not yet included in portal

• Click on a country on the map to view the country specific information in the window on the left of the map, including respective links to each county's online resources (if available). This information is equivalent to the information presented in the table.

How to use the table:

- An underscore indicates that the cell content is hyperlinked, e.g. to a register;
- An **asterisk** indicates supplementary information in a pop-up window that can be activated by moving the cursor over the cell;
- Move the cursor over each column heading of the table to read the definition of what 'Yes' means. For more information, see the detailed descriptions below.
- **Open a link to an online register** by clicking on the respective 'Yes' in the column 'online register'. If no online register is accessible, some 'No' provide additional information on how to submit a request for status information; at least the contact details of WIPO's country profiles are displayed.

The names in the 'jurisdiction' column are hyperlinked to the website of the respective national authority in charge of patent prosecution, i.e. they are not linked.

# **DISPLAY OF THE SEARCH RESULTS**

The search query, whether you performed a SIMPLE; ADVANCED; FIELD COMBINATION or CLIR search, will return a list of results in a window as shown below:

		2	3	4	5	6	7	8	9	10	nex	t	Page: 1	122	2681 Go >	
Refine Search	FP:(ves	sel)											Sea	rch	RSS 🔊 🚓	
۹									Апа	ilysis						
Sort by: Pub Da	ate Des	v 💌	iew All			•	List	Lengt	h 10	•	achine ti	ranslati	on			
Int Class	_	Am	ni No	-		Title		_	Ann	licant				Ctr	PubDa	te
20150177735	APPAR	ATUS A	ND MET	THOD	FOR	ONTE		NG VE	SSEL	DEVIATI	NG FROM	ANCHO	RAGE	US	25.06.2015	
05D 1/02	0	143302	30	EL	ECTR		S ANI	D TEL	ECON	IMUNIC/	TIONS R	ESEAR	СН	Dae-He	ee SEO	
he present inve	ention re	lates to	an app	aratu: essel	s and s and	metho hored	in an	ancho	ol a ve orage	are mor	viating fro	om an a ne anch	nchorage orage is (	e using v defined a	vide-range sensor as a group, and the	based
pherical trigono ne anchored ve ecognized as a equesting vess	ometry. I ssels is vessel el is cor	n the ma manag identical itrolled.	ed. Lea I to one	ving o that le	of a ve off the	group	requ	ests a	nchor	ing after	a predet	age, froi ermined	n the gro I period c	of time ha	ntrolled. If a vesse as elapsed, the an	choring-
pherical trigono ne anchored ve: ecognized as a equesting vess 2. 20150180566 NVIRONMENT	ometry. I ssels is vessel el is cor SYSTE	n the ma manag identical ntrolled. M AND I	METHO	ving o that le	of a ve eft the	group	BRO	ADBAI	nchor	om ing after	a predet	age, from ermined	n the gro I period c INE	US	25.06.2015	choring-
pherical trigono he anchored ve: ecognized as a equesting vess 20150180566 NVIRONMENT 104B 7/15	ometry. I ssels is vessel el is cor SYSTE	n the ma manag identical ntrolled. M AND 1 145782	METHO	ving o that li D FOR	of a ve eft the WIRE seph	group ELESS	BRO	ADBAI	nchor ND CC	ommun MMUNI	a predet	age, from ermined	n the gro I period c INE	US Joseph	25.06.2015 n Clifton Anders	choring-

The first component of this window

prev	1	2	3	4	5	6	7	8	9	10	next	Page: 1	/ 22681 Go >	
Refine Searcl	FP:(vesse	el)										Searc	n RSS 🔊 🦾	
	0										В			

- A. Allows the search query to be redefined in reaction to retrieved documents
- B. Indicates the search performed and the number of retrieved documents.
- C. Lets you to navigate from one search result page to another
- D. Allows you to set up RSS notifications based on your search query, helping you to monitor patenting activity and updates in your area of interest

### **RESULT ANALYSIS**

The second "box" of the window is called ANALYSIS and is closed by default. To open it, just click anywhere on the bar:

ptions 🖲 Table 🤇	) Graph (	Options 🧧	) bar 🔘	pie					
Countries		Mair	IPC	Main Applicant		Main Invento	or	Pub	Date
Name +	No ÷	Name +	No ÷	Name +	No ¢	Name	No ¢	Date +	No ¢
United States	10268749	G06F	1763022	SAMSUNG	160995	Квасенков Олег	13275	2003	120603
Japan	7613468	A61K	1617481	ELECTRONICS CO.,		Иванович (RU)		2004	129811
China	3079593	H01L	1527527	MATSUSHITA ELECTRIC	148930	UGAWA	5577	2005	137883
European Patent	2614039	H04N	1000540	IND CO LTD			5059	2006	143821
Office		G01N	840117	CANON INC	123658	Kyasenkov Oleo	4878	2007	148309
PCT	2310696	H04L	800721	LG ELECTRONICS INC.	106216	Ivanovich (RU)	4070	2008	154995
Republic of Korea	1739058	A61P	790493	SONY CORP	103622	ICHIHARA	3915	2009	157515
Russian	1408496	C07D	752446	TOSHIBA CORP	101429	TAKAAKI		2010	154903
data)		G02B	580933	HITACHI LTD	89622	Mao Yumin	3898	2011	158793
Spain	1396710	A61B	578348	SEIKO EPSON CORP	86356	Silverbrook Kia	3864	2012	169771
Russian	677466		0.0040	International Business	80266	Yamazaki Shunpei	3013	2012	969254

14

- A. Summary of the main OFFICES, MAIN IPC, MAIN APPLICANT, MAIN INVENTOR and PUBLICATION DATE.
- B. Options for the display of search results: 1. TABLE (by default) or GRAPH:



The charts can be saved in GIF format for inclusion in documents or reports by right-clicking in a corner of the image and selecting "Copy image" or "Save image".

#### 2. BAR (by default -as shown above) or PIE:



In both bar and pie options, the tabs allow you to see the information graphically for the OFFICES, MAIN IPC, MAIN APPLICANT, MAIN INVENTOR and PUBLICATION DATE.

The last component of the search result list provides bibliographic data with search terms highlighted and allows accessing of detailed records by clicking on publication number and title.

Appl.No ATUS AND MET	Applicant		
ATUS AND MET			Inventor
	THOD FOR CONTROLLING VESSEL DEVIATING FROM ANCHORAGE	US	25.06.2015
14330230	ELECTRONICS AND TELECOMMUNICATIONS RESEARCH	Dae-He	e SEO
identical to one ntrolled. M AND METHO	that left the group requests anchoring after a predetermined period	US	25.06.2015
14578251	Joseph Clifton Anders	Joseph	Clifton Anders
	14330230 Ilates to an app n the method, v managed. Lea identical to one htrolled. M AND METHO 14578251	14330230     ELECTRONICS AND TELECOMMUNICATIONS RESEARCH INSTITUTE       Ilates to an apparatus and method that control a vessel deviating from an anchora n the method, vessels anchored in an anchorage are monitored. The anchorage is managed. Leaving of a vessel, needing to deviate from the anchorage, from the g identical to one that left the group requests anchoring after a predetermined period throlled.       M AND METHOD FOR WIRELESS BROADBAND COMMUNICATION IN A MARINE       14578251     Joseph Clifton Anders	14330230     ELECTRONICS AND TELECOMMUNICATIONS RESEARCH     Dae-Hit       INSTITUTE     INSTITUTE     Dae-Hit       Idates to an apparatus and method that control a vessel deviating from an anchorage using w     n the method, vessels anchored in an anchorage are monitored. The anchorage is defined a managed. Leaving of a vessel, needing to deviate from the anchorage, from the group is condenicat to one that left the group requests anchoring after a predetermined period of time has throlled.       M AND METHOD FOR WIRELESS BROADBAND COMMUNICATION IN A MARINE     US       14578251     Joseph Clifton Anders     Joseph

# SEARCH RESULTS

А	В	С	D
Sort by: Pub Date De:	sc 💌 View All	💌 List Length 10 📼	Machine translation

- A. The SORT BY option allows the user to sort the search results by: RELEVANCE, PUBLICATION DATE DESCENDING, PUBLICATION DATE ASCENDING, APPLICATION DATE ASCENDING or APPLICATION DATE DESCENDING:
- B. The VIEW option allows you to select the components displayed in the result list. Images can be also made visible for example.
- C. The LIST LENGTH option allows you to increase the number of displayed results per page (10 by default) to up to 200.
- D. The MACHINE TRANSLATION button offers machine translation tools to translate the result list into any of the languages supported by those tools.

# **READING THE RESULT PAGE**

PCT Biblio. Data	Description Claims National Phase Notices	Drawings Documents
Latest bibliograp	hic data on file with the International Bureau	PermaLink®®
Pub. No.: Publication Date: Chapter 2 Deman	W0/2007/149777 International Application No.: 27.12.2007 International Filing Date: nd Filed: 21.05.2008	PCT/US2007/071329 15.06.2007
IPC:	A47C 27/15 (2006.01) (2)	
Applicants:	WELLS, Thomas, J. [US/US]; (US)	
Inventors:	WELLS, Thomas, J.; (US)	
Agent:	POFFENBERGER, John, D.; Wood, Herron & Evans, L.L.P., 44 Cincinnati, OH 45202 (US)	1 Vine Street, 2700 Carew Tower,
Priority Data:	11/425,169 20.06.2006 US	
Title	(EN) DIVIDED SUPPORT MATTRESS (FR) MATELAS DE SUPPORT DIVISÉ	
ADSUACC	teny onweu mattess to is uls closed having multiple sections 16, 18 separated by an expansible divider 20 such that movement atop one section of the mattess is isolated and not felt from the adjacent section. (FR)La présente invention concerne un matelas divisé (10) comprenant de multiples sections (16, 18) séparées par une cloison extensible (20) qui permet d'isoler un mouvement produit au-dessus de fune des sections du matelas et d'empêcher qu'il ne soit senti par la section adjacente.	
Designated States:	AE, AS, AL, AM, AT, AJ, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, C, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HH, KN, RY, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, M NO, INZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SJ TZ, UA, UG, US, UZ, VC, VIX, 2Z, AZ, MZ, VIX. African Regional Intellectual Property Org. (ARIPO) (BW, GH, TZ, UG, ZM, ZW) Europsian Patient Organization (EAPO) (AM, AZ, BY KG, KZ, MK Europsian Patient Organization (CAPO) (AM, AZ, BY KG, KZ, MK Europsian Patient Office (EPO) (AT, BE, BG, CH, CY, CZ, DE, D IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR) African Intellectual Property Organization (OAPI) (BF, BJ, CF, C	A, CH, CN, CO, CR, CU, CZ, DE, DK, J HR, FU, JD, LI, NI, JS, PK, KK, KK, M, G, MK, MN, MW, MX, MY, MZ, NA, NG, NI, K, SL, SM, SV, SY, TJ, TM, TN, TR, TT, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, J, RU, TJ, TM) K, EE, ES, FI, FR, GB, GR, HU, IE, IS, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
Publication Lange	uage: En	glish (EN)
Filing Language:	En	glish (EN)

#### The tabs

- PCT Biblio. Data Refers generally to the various data appearing on the front page of a patent document or the corresponding applications and may comprise document identification data, domestic filing data, priority data, publication data, classification data, and other concise data relating to the technical content of the document.
- Description Clear and concise explanation of known existing technologies related to the new invention and explanation of how this invention could be applied to solve problems not addressed by the existing technologies; specific embodiments of the new technology are also usually given. Integrated machine translation tools allow translation of the document.

- Claims Legal definition of the subject matter which the applicant regards as his invention and for which protection is sought or granted; each claim is a single sentence in a legalistic form that defines an invention and its unique technical features; claims must be clear and concise and fully supported by the description. Integrated machine translation tools allow translation of the document.
- National Phase Where information is displayed for an office, this indicates that the applicant has requested national phase processing for the application concerned in that office. The national entry date and national reference number are supplied by the national office concerned and can be used to retrieve further details from that office, if desired. A list of national patent offices supplying national phase information can be found here: https://patentscope.wipo.int/search/en/nationalphase.jsf.
- Notifications of changes after publication
- Drawings Gives direct to the drawings of a patent document.
- **Documents** This service provides access to published PCT international applications and to the latest bibliographic data and documents contained in the files of PCT international applications. Due to changes in the PCT Regulations and to the availability of documents in electronic form, the information available is different depending on the date of filing of the international applications. WIPO bears no responsibility for the content of PCT international applications and related documents. The bibliographic data and documents are updated daily and publication of new applications is updated weekly on publication day, i.e., Thursday, unless the International Bureau is closed for a public holiday in which case data is published on Friday.

#### TRANSLATE



This translation tool is available for the translation of patent texts. The following language combinations are available:

English-Chinese	English-German	English-Korean	English-Spanish
Chinese-English	German-English	Korean-English	Spanish-English
English-French	English-Japanese	English-Russian	
French-English	Japanese-English	Russian-English	

It is based on statistical machine translation and was trained on patent documents translated by human translators.

	[help/user guide
This tool is base You can cut and	ed on statistics and trained only on patent texts. paste texts from any patent application.
Source text:	The cartridge includes a lid and a cup shaped filter suspended below the lid and in which a beverage brewing ingredient is held. The lid includes an annular collar to prevent the lid from deforming when a needle of the brewing apparatus pierces it during the brewing process. A
Language pair:	English->Chinese • B
Domain:	HOME-Home Contents & Household Maintenance - C
	Translata
	Hansiale

To use this tool:

- A. Enter your text in the SOURCE TEXT box;
- B. Select the LANGUAGE PAIR. The system will automatically detect the language pair to be used if you do not select an option;
- C. Select the DOMAIN. The system will automatically detect the domain if you do not select an option;
- D. Click the TRANSLATE button.

The result will appear as shown below:

his tool is base 'ou can cut and	ed on statistics and trained only on patent texts. paste texts from any patent application.	(nethoset guide)
Source text:	The cartridge includes a lid and a in which a beverage brewing ingredit collar to prevent the lid from defor pierces it during the brewing proces	oup shaped filter suspended below the lid and ent is held. The lid includes an annular mming when a needle of the brewing apparatus ss.
anguage pair:	English->Chinese -	
omain:	HOME-Home Contents & Household Maintenance	•
	Tra	anslate
This automatio value. • Please • Click to • Select	c translation is provided for information only, it may hover your mouse over parallel segments of text view other proposals words or phrases on the left to access other translation	contain discrepancies or mistakes and does not have any juridical
	includes a lid and a cup shaped filter suspended	版述合体有任一美和一场形的过速等美和月泽在版述的一
The cartridge below the lid a The lid include	es an annular collar to prevent the lid from deforming	种饮料冲泡成分被保持。所述上盖包括一环形轴环,以防止
The cartridge below the lid a The lid include when a needl brewing proce	e of the brewing apparatus pierces it during the iss.	m 定意
The cartridge below the lid : The lid include when a needl brewing proce	e of the brewing apparatus pierces it during the sss.	

Follow the different steps indicated by the arrow in order to be provided with different translations.

For complete instructions, click on the link indicated by the red circle page 18. An interesting article illustrating the functioning of and giving some background and quality information on WIPO Translate is available here: www.iprhelpdesk.eu/ IPR\_Helpdesk\_Bulletin\_issue\_17?pk\_campaign=Bulletin17&pk\_kwd=Bulletin17

#### **OPTIONS**

Search   Browse   Translate	Options   News   Login   Help			
		Sort +		Chronologically
		Graph +		By Relevance
		Show Options		

SORT: define the way in which the search results are presented, either

- chronogically or
- by relevance

GRAPH: presentation of the ANALYSIS table either in

- Table or a
- Graph

### Show Options:

The QUERY tab: Define the defaults for query language, the stemming option, the sorting of the results and the number of results to be included in the list.

Query Language	🔿 All 🛛 🖲 English 🔍 Hebrew 🔍 Portuguese 🔍 Vietnamese		
	© Arabic ─ © French ─ ◯ Japanese ─ ◯ Russian		
	© Chinese   © German   © Korean   ■ © Spanish		
Stem	V		
Sort by:	🖱 Relevance 💿 Pub Date Desc 💿 Pub Date Asc 💿 App Date Desc 💿 App Date Asc		
List Length			

The RESULT tab: Define the defaults for the language of the result list, the fields that will be displayed, the presentation of the results analysis, the groups to be included in the results analysis and the number of items in those groups.

ptions	
Query Result Inter	face Office Translate
Result List Language	© Query Language      © Vietnamese      ○ French      ○ Russian      ○ Arabic
	© English ◎ Hebrew ◎ German ◎ Korean
	Spanish
Displayed Fields	♥ Application Number ♥ Abstract ♥ Int. Class ♥ Inventor Name
	🗹 Publication Date 🛛 Applicant Name 🔲 Image
Chart/Graph	Table      Graph     Graph
Group by	None All IPC code All applicants All inventors Filing Dates
	Offices V Main IPC V Main applicant V Main inventor V Publication Dates
No of Items/Group	10 💌
More Like This	

The INTERFACE tab: Select the default search interface, search field, patent collections, interface language, and color of the interface (skin). You can also select whether to activate Tooltip Help and IPC Help through this tab.

	Options	3	
Query Result Interfac	s ffice Translate		
Query Language	🛇 All 🔹 English 🔿 German 🔿 Korean 🔿 Spanish		
	O Arabic O Estonian O Hebrew O Portuguese O Vietnamese		
	◯ Chinese ◯ French ◯ Japanese ◯ Russian		
Stem			
Sort by:	© Relevance ◎ Pub Date Desc ◎ Pub Date Asc ◎ App Date Desc ◎ App Date Asc		
List Length	10 ○ 50 ○ 100 ○ 200		
	Save		

The OFFICE tab: Select the patent collection/s for your patent searches.

Result List Language	© Query Language ◎ Vietnamese ◎ French ◎ Russian ◎ Arabic
	English Hebrew German Korean Estonian
	O Spanish O Portuguese O Japanese O Chinese
Displayed Fields	Application Number 🖉 Abstract 🖉 Int. Class 🖉 Inventor Name
	Publication Date Applicant Name Image
Chart/Graph	Table     Graph
Group by	None All IPC code All applicants All inventors Filing Dates Countries
	Offices 🗹 Main IPC 🛛 Main applicant 🖉 Main inventor 🖤 Publication Dates
lo of Items/Group	10 💌

The TRANSLATE tab: Activate WIPO translate for the translation of the result list and description and claims..

Options	×		
Query Resut Interface Office Translate			
WIPO translate (Wipo internal translation tool - Beta)			
Save Reset			

#### News

The NEWS is a direct link to all the news items posted on the PATENTSCOPE homepage and related to the search system.

### Login

Search   Browse   Translate   Options		News		Login	Help
Iome > IP Services > PATENTSCOPE Login					
				A	ccount Sign Up

Sign up to create your own PATENTSCOPE account. Users logged into their PATENTSCOPE accounts can:

- Save their preferred settings, such as the search interface by default, the length of the search result list, etc. ,
- · Save their queries; and
- Download the result lists up to 10,000 records.

The PATENTSCOPE account is free of charge.

#### Help

Search   Browse   Translate   Options   News   Login	Help	
Home > IP Services > PATENTSCOPE	How to Search	User Guide PATENTSCOPE
	Data Coverage 🔹 🕨	User Guide: Cross Lingual Expansion
	FAQ	Query Syntax
	Feedback&Contact	Fields Definition
	INID codes	Country Code
	Kind codes	
	Show Log	
	About •	

In this menu, help as how to search is provided, as well as the data coverage, the FAQs, the forum and the log for the queries in your session.

## **SEARCH SYNTAX**

The search syntax allows you to search for specific information in the Advanced Search. A query is a logical sentence that consists of elements joined by special symbols called operators used to define the relationship between words or groups of words.

An "element" can be:

- a single term ("engine");
- a phrase (a group of words surrounded by quotes to search for multiple words in exact order: "magnetic cup"); or
- several of these grouped together with parentheses.

Operators	Example	Explanation	
BOOLEAN		always use in capital	
AND	train AND plane	Returns all documents that contain <b>both</b> the first term <b>and</b> the second term.	
OR	train OR plane	Returns all documents that contain <b>either</b> the first term <b>or</b> the second term <b>or both</b> .	
NOT	train NOT plane	Returns all documents that contain the first term <b>and not</b> the term following NOT.	
ANDNOT	train ANDNOT plane	Returns all documents that contain the first term <b>and not</b> the term following NOT.	
WILDCARD			
?	te?t	Returns all documents that contain test or text. <u>Wildcard search</u> uses ? to search terms with one single character replaced.	
*	electr*	Returns all documents that contain electric, electrics, electrical, electricity.	
	elec*try	Returns all documents that contain electric, electrics, electrical, electricity. Returns all documents that contain electricity. <u>Wildcard</u> <u>search</u> uses * to search terms with 0 or more characters replaces either in the middle of the term or at the end of the term (* as the 1 <sup>st</sup> character of the term is not supported).	
OTHERS			
^	power^10 nuclear	Returns all documents in which "power" is considered to be more relevant than "nuclear". <u>Boosting</u> assigns importance values to individual query terms.	
+/-	+electric-power	Returns all documents that contain electric and that do not contain power <u>Filtered</u> <u>searching</u> allows to require (+) a query term and to prohibit (-) one.	
~	r00~	<u>Fuzzy search</u> returns all documents that contain room, rood, rook, etc.	

List of operators supported in the PATENTSCOPE search service:

# ANNEX

()	(spaghetti OR plate) AND fork	Returns all documents that contain spaghetti or plate and fork. <u>Grouping</u> is used to group clauses to form sub-queries.
~/NEAR	"heart monitoring" ~ 10 Heart NEAR monitoring	Proximity search allows specifying a distance monitoring between words. In the example with tilde "heart" and "monitoring" are separated by 10 other words; NEAR separates words by 5 words by default
[]	[01.01.2000 T0 01.01.2001]	Returns all documents that contain dates between 01.01.2000 and 01.01.2001. Range search uses [] to include the bounds.
{}	{ Smith TO Townsend}	Returns all documents that contain names between Smith and Townsend, but not including Smith and Townsend. Range search uses {} to exclude the bounds.

### **FIELD CODES**

Field codes are used in the Advanced Search interface to limit your search to specific fields. For example:

To search for documents that contain the terms "precipitated calcium carbonate", "carbon dioxide", and variants of the word inject (using a wildcard operator) in any English text and belong to the fields of technology of papermaking or cellulose production, as represented by the IPC subclass D21, you can use the query:

EN\_ALLTXT:("precipitated calcium carbonate" AND "carbon dioxide" AND inject\*) AND IC:D21

The EN\_ALLTXT field code represents a combination of the English title, abstract, description, and claims fields, while the IC field code represents the International Patent Classification field. You should use parentheses (brackets) to enclose all search terms for a given field. And make sure not to put any spaces between the field code and the brackets!

Advanced Search				
Search For	EN_ALLTXT:"precipitated calcium carbonate" AND "carbon dioxide" inject* AND IC:d21	<b>a</b>		
Language	English Stem	*****		

List of field codes supported in the PATENTSCOPE search service

Fields	Codes	Examples
All data	PAA	PAA: John US California
Address	AAD	AAD: Paix
Country	AADC	AADC: IT
"Main Applicant" name	PAF	PAF: "smith, john"
Name	PA	PA: smith
Nationality	ANA	ANA: CN
Residence	ARE	ARE: KR

#### For queries related to **APPLICANTS**:

#### For queries related to DATES/RANGE:

Fields	Codes	Examples
Application	AD	AD:[01.01.2001 T0 01.01.2005]
National phase entry number	NPAN	NPAN: CA-2*
National phase entry date	NPED	NPED:US-200012*
National phase entry type	NPET	NPET:US E
Priority	PD	PD:[01.04.2033 T0 11.11.2007]
Publication	DP	DP:[15.05.2005 T0 15.15.2008]

#### For queries related to INTERNATIONAL CLASSIFICATIONS:

Fields	Codes	Examples
IPC with subgroups	IC	IC: "F15D 1/00" results include F15D 1/02, F15D 1/04
IPC exact value	IC_EX	IC: "F15D 1/00" results include only F15D 1/00
IPC Inventive	ICI	ICI: "F15D 1/00" results include F15D 1/02, F15D 1/04
IPC Inventive exact value	ICI_EX	ICI: "F15D 1/00" results include only F15D 1/00
IPC inventive with subgroups	ICIS	ICIS: "F15D 1/00" results include F15D 1/02, F15D 1/04
IPC Non-Inventive	ICN	ICN: "F15D 1/00" results include F15D 1/02, F15D 1/04
IPC Non-Inventive exact value	ICN_EX	ICN_EX: "F15D 1/00" results include only F15D 1/00
IPC Non-Inventive with subgroups	ICNS	ICNS: "F15D 1/00" results include F15D 1/02, F15D 1/04

Note: The empty space can be replace with either '-' or no space at all, therefore the following are equivalent: IC:"F15D 1/00" IC:F15D1/00 IC:F15D-1/00

# ANNEX

#### For queries related to INVENTORS:

Fields	Codes	Examples
All data	INA	INA:paul, london UK
Address	IAD	IAD:Seattle
Country	IADC	IADC:DE
"Main inventor" name	INF	INF:"hamilton, Janice"
Name	IN	IN:john

#### For queries related to LEGAL REPRESENTATIVES:

Fields	Codes	Examples
All data	RPA	RPA: (gearge, new port)
Address	RAD	RAD: (colombettes)
Country	RCN	RCN: KR
"Main Legal Rep" Name	RPF	RPF: (Jons)

#### For queries related to LANGUAGES:

Fields	Codes	Examples
All data	EN_ALL	EN_ALL: pot
Abstract	EN_AB	EN_AB:"electric car"
Claims	EN_CL	EN_CL: needle
Description	EN_DE	EN_DE: syyringe
Text	EN_ALLTXT	EN_ALLTXT:"waterproof cannula"
Title	EN_TI	EN_TI:"flexible tube"
Filing	LGF	LGF: JA
Publication	LGP	LGP: EN

The table shows examples for ENGLISH, for other languages, please replace EN by:

FR for French

DE for German

ES for Spanish

JA for Japanese

RU for Russian

VN for Vietnamese

#### For queries related to NAMES:

Fields	Codes	Examples
All data	ALLNAMES	ALLNAMES:smith
Applicant	PA	PA:smith
Inventor	IN	IN:smith
"Main Applicant	PAF	PAF:"smith, john"
"Main Inventor"	INF	INF:"hamilton, janice"
"Main Legal Rep"	RPF	RPF:jones

# ANNEX

#### For queries related to NUMBERS:

Fields	Codes	Examples
All data	ALLNUM	ALLNUM: 198808383
Application	AN	AN:IB2013888
National phase number	NPAN	NPAN: CA-2*
National Publication	PN	PN: 2005
Prior PCT Application	PRIORPCTAN	PRIORPCTAN:US2003
Prior PCT Publication	PRIORPCTWO	PRIORPCTW0:2003
Priority	NP	NP:2003*
WIPO Publication	WO	WO:YY/NN*;YY/NN; YYYY/NN*; YYYY/ NNNN

Numbers are flexible: examples can be found on the Simple Search interface

#### For queries related to NATIONAL PHASE:

Fields	Codes	Examples
National Phase All Data	NPA	NPA: US2002
National Phase Application Number	NPAN	NPAN: CA-2*
National Phase Entry Date	NPED	NPED:US-200012*
National Phase Entry Type	NPET	NPET: (US-E*)
National Phase Office Code	NPCC	NPCC: JP

#### For queries related to OFFICES/COUNTRIES:

Fields	Codes	Examples
Designated state	DS	DS:US
Office	OF	0F:JP
Office code	OF	0F:W0
Country	CTR	CTR:CU

#### For queries related to **PRIORITY:**

Fields	Codes	Examples
All data	PI	PI:2005 KR
Country	PCN	PCN:ZA
Date	PD	PD: [01.04.2003 T0 11.11.2007]
Number	NP	NP: [01.04.2003 T0 11.11.2007]

WIPO Publication No. L434/8E ISBN: 978-92-805-2653-0 Update July 2015